

Package ‘allelic’

April 17, 2009

Version 0.1

Date 2006-05-19

Title A fast, unbiased and exact allelic exact test

Author Karl Forner <Karl.Forner@gmail.com>

Maintainer Mickael Guedj <guedj@genopole.cnrs.fr>

Description This is the implementation in R+C of a new association test described in “A fast, unbiased and exact allelic exact test for case-control association studies” (Submitted). It appears that in most cases the classical chi-square test used for testing for allelic association on genotype data is biased. Our test is unbiased, exact but fast through careful optimization.

License GPL (>= 2)

Repository CRAN

Date/Publication 2006-05-24 08:12:01

R topics documented:

allelic.exact.test	1
Index	3

allelic.exact.test *Fast Unbiased Exact Allelic Test*

Description

This is the implementation in R+C of a new association test described in "A fast, unbiased and exact allelic exact test for case-control association studies" (Submitted). It appears that in most cases the classical chi-square test used for testing for allelic association on genotype data is biased. Our test is unbiased, exact but fast through careful optimization.

Usage

```
allelic.exact.test(d0, d1, d2, h0, h1, h2)
```

Arguments

Takes the 2x3 contingency table on which to compute the test

	aa	aA	AA
[case (diseased)]	d0	d1	d2
[control(healthy)]	h0	h1	h2

d0	nb of first homozygous among cases
d1	nb of heterozygous among cases
d2	nb of second homozygous among cases
h0	nb of first homozygous among controls
h1	nb of heterozygous among controls
h2	nb of second homozygous among controls

Value

return the p-value of the test, or -1 if the sum of all cells in table is greater than `TABLE_OF_LOG_FACTORIALS_SIZE`, a C symbol defined in `src/newallelic.c`

See Also

[chisq.test](#), [fisher.test](#)

Examples

```
allelic.exact.test(160, 80, 60, 160, 160, 30)
```

Index

*Topic **univar**

allelic.exact.test, 1

allelic.exact.test, 1

chisq.test, 2

fisher.test, 2