

Package ‘ant’

January 2, 2012

Type Package

Title Version of ant specific to R

Version 0.0-10

Date 2009-10-28

Author Romain Francois

Maintainer Romain Francois <francoisromain@free.fr>

Description Version of the ant apache build tool, with a few R specific tasks to ease use of ant within an R package

License Apache License (== 2.0)

LazyLoad yes

LazyData no

Depends rJava (>= 0.8-0)

SystemRequirements Java (>= 5.0)

Repository CRAN

Date/Publication 2009-10-28 11:02:18

R topics documented:

ant-package	2
ant	2

Index	4
--------------	----------

ant-package

R specific version of ant

Description

Version of the apache ant build tool tweaked with a few R specific tasks

Details

Package: ant
Type: Package
Version: 0.0-10
Date: 2009-10-28
License: Apache (>=2.0)
LazyLoad: yes

Author(s)

Romain Francois <francoisromain@free.fr>

Maintainer: Romain Francois <francoisromain@free.fr>

References

The Apache ant project: <http://ant.apache.org/>

ant

Apache Ant build tool

Description

Apache Ant build tool

Usage

```
ant(run = TRUE, arguments = commandArgs(TRUE) )
```

Arguments

run Should the generated command be run.
arguments Additional arguments for the ant script

Details

This function makes a call to the R script `ant.R` that is in the `exec` directory of this package

Value

If `run` is `TRUE`, this will return the result of the system call, otherwise the command is returned.

Author(s)

Romain Francois <francoisromain@free.fr>

References

The Apache ant project: <http://ant.apache.org/>

Examples

```
## Not run:
build.file <- system.file( "examples", "build.xml", package = "ant" )
owd <- setwd( dirname( build.file ) )
ant()
setwd( owd )

## End(Not run)
```

Index

*Topic **manip**

ant, [2](#)

*Topic **package**

ant-package, [2](#)

ant, [2](#)

ant-package, [2](#)