

Package ‘bio.infer’

January 2, 2012

Type Package

Title Predict environmental conditions from biological observations

Version 1.2-9

Date 2010-11-22

Author Lester L. Yuan

Maintainer Lester L. Yuan <yuan.lester@epa.gov>

Description Imports benthic count data, reformats this data, and computes environmental inferences from this data.

Depends R (>= 2.7.0), tcltk

LazyLoad FALSE

LazyData FALSE

License GPL (>= 2)

Repository CRAN

Date/Publication 2010-11-23 07:36:51

R topics documented:

bio.infer-package	2
bcnt.emapw	3
bcnt.OR	4
bcnt.otu.OR	4
bcnt.tax.OR	5
coef.east.sed	6
coef.west.wt	6
correct.taxanames	7
envdata.emapw	8
envdata.OR	9

flist.data	10
flist.match	10
formtomat	11
get.dupe.sel	11
get.otu	12
get.taxon.names	13
get.taxonomic	14
get.valid.names	15
in.ITIS	16
incorp.correct	16
infergui	17
itis.ttable	17
load.itis	18
load.revised.otu	18
load.revised.species	19
locate.dupes	20
make.fulltbl	21
make.species	21
makess	22
mlsolve	23
modalDialog	24
output.tax.table	25
parse.taxon.name	25
remove.dupes	26
resolve.mult	27
sel.coeffile	27
ss.OR	28
taxon.env	28
tklist.modal	30
trait.feeding	31
trait.habit	31
trait.stat	32
view.te	33
Index	34

bio.infer-package *Scripts for computing biological inferences*

Description

Reformats raw benthic count files, combines them with existing taxon-environment relationships, and computes inferences of environmental conditions.

Details

Package: bio.infer
Type: Package
Version: 1.0
Date: 2006-10-31
License: GPL version 2 or newer

Use this package to import benthic count data, reformat the data, and compute inferences of environmental conditions using taxon-environment relationships.

Typically, the user will start by loading a local benthic count data file (see [bcnt.OR](#) for an example of the required format). This benthic count file will be merged with standardized taxonomic hierarchy information using [get.taxonomic](#). Then, operational taxonomic units will be assigned, based on the number of occurrences of different taxa and based on the identity of taxa for which environmental preferences have been quantified. (See [get.otu](#) for the OTU assignment script, and [coef.west.wt](#) for an example file of environmental preferences.)

Once OTUs have been assigned, the benthic count file is reformatted as a site-taxon matrix ([makes](#)). This file can then be used to compute biological inferences ([mlsolve](#)).

This package was developed in Windows but should be fully functional in other operating systems.

Author(s)

Lester L. Yuan

bcnt.emapw

Benthic count data for the western United States

Description

Benthic count data for streams in the western United States.

Usage

```
data(bcnt.emapw)
```

Format

Three fields are included.

ID.NEW Unique sample code

Taxaname Name of the observed taxon

Abundance Abundance of the observed taxon

Source

U.S. Environmental Protection Agency Environmental Monitoring and Assessment Program

Examples

```
data(bcnt.emapw)
```

```
bcnt.OR
```

Benthic count data for western Oregon

Description

Benthic count data for streams in western Oregon.

Usage

```
data(bcnt.OR)
```

Format

Three fields are included.

SVN Unique sample code

Taxon Name of the observed taxon

CountValue Abundance of the observed taxon

Source

Oregon Department of Environmental Quality

Examples

```
data(bcnt.OR)
```

```
bcnt.otu.OR
```

Benthic count data with OTU

Description

Benthic count data from western Oregon with operational taxonomic units assigned by [get.otu](#).

Usage

```
data(bcnt.otu.OR)
```

Format

Five fields are included.

SVN Unique sample identifier

Taxon Original taxon name, same as in [bcnt.OR](#)

CountValue Taxon abundance

TNAME Taxon name after processing by [get.taxonomic](#)

OTU Operational taxonomic unit. Taxon name selected with associated taxon-environment data and selected to eliminate double-counting

Source

Oregon Department of Environmental Quality

Examples

```
data(bcnt.otu.OR)
```

bcnt.tax.OR

Benthic count with taxonomic hierarchy

Description

Benthic count data from western Oregon with full taxonomic hierarchy assigned by [get.taxonomic](#).

Usage

```
data(bcnt.tax.OR)
```

Source

Oregon Department of Environmental Quality

Examples

```
data(bcnt.tax.OR)
```

coef.east.sed *Regression coefficients for eastern U.S. sediment*

Description

Regression coefficients describing relationships between different taxa and percent sands/fines.

Usage

data(coef.west.wt)

Format

A list of with following four elements is provided.

tnames Character vector with the names of each taxon modelled.

csave Matrix of regression coefficients for each taxon. Number of rows is the same as the number of taxa modelled and the number of columns is 6.

xvar Character vector with the names of variables modelled.

xlims List of limits for each of the environmental variables.

form Regression formula used to estimate coefficients.

Details

These regression coefficients were computed using logistic regression.

Source

Yuan, L.L.

Examples

data(coef.east.sed)

coef.west.wt *Weighted regression coefficients for western U.S.*

Description

Regression coefficients describing relationships between different taxa and percent sands/fines and stream temperature.

Usage

data(coef.west.wt)

Format

A list of with following four elements is provided.

`tname` Character vector with the names of each taxon modelled.

`csave` Matrix of regression coefficients for each taxon. Number of rows is the same as the number of taxa modelled and the number of columns is 6.

`xvar` Character vector with the names of variables modelled.

`xlims` List of limits for each of the environmental variables.

`form` Regression formula used to estimate coefficients.

Details

These regression coefficients were computed using logistic regression weighted by the number of stream miles represented by each sample.

Source

Yuan, L.L.

Examples

```
data(coef.west.wt)
```

<code>correct.taxanames</code>	<i>Correct unrecognized taxon names</i>
--------------------------------	---

Description

Prompts user to correct unrecognized taxon names

Usage

```
correct.taxanames(tname.old, get.tax.env)
```

Arguments

`tname.old` Character vector of unrecognized names

`get.tax.env` Environment for ITIS taxon table

Details

Prompts user to enter corrections to names via a tcltk dialog box.

Value

Character vector of corrected names

Author(s)

Lester L. Yuan

envdata.emapw

Environmental data from the western United States

Description

Environmental data for stream sampled in the western United States.

Usage

```
data(envdata.OR)
```

Format

A data frame with 1674 observations on the following 8 variables.

ID.NEW Unique sample code

nt1 Total nitrogen concentration

no3 Nitrate concentration

pt1 Total phosphorus concentration

sed Percent sands and fines

tempres Corrected temperature

STRMTEMP Grab temperature

jday Julian sampling day

Source

U.S. Environmental Protection Agency Environmental Monitoring and Assessment Program.

Examples

```
data(envdata.emapw)
```

`envdata.OR`*Environmental data from western OR*

Description

Environmental data for stream sampled in western Oregon.

Usage

```
data(envdata.OR)
```

Format

A data frame with 245 observations on the following 13 variables.

STRM.ID Unique sample code

jday Sampling day

lon Longitude in decimal degrees

lat Latitude in decimal degrees

sed Percent sands and fines

elev Log-transformed elevation

slope Slope

area Log-transformed catchment area

sed.log Log-transformed percent sands and fines

temp Grab stream temperature

temp.avg Seven day average maximum temperature

elev.ut Elevation

sp Estimate of unit stream power

Source

Oregon Department of Environmental Quality

Examples

```
data(envdata.OR)
```

flist.data *List available data*

Description

Lists available data in the package

Usage

```
flist.data()
```

Value

List of data files.

Author(s)

Lester L. Yuan

flist.match *Selects data files matching search string*

Description

Select data files matching search string

Usage

```
flist.match(pattern = NULL)
```

Arguments

pattern Character string to be matched.

Value

List of matched data files.

Author(s)

Lester L. Yuan

formtomat	<i>Analyze formula string</i>
-----------	-------------------------------

Description

Analyzes formula string that defines the regression models for taxon-environment relationships. Returns a numerical representation of the formula and the derivative of the formula that can be used by `mlsolve`.

Usage

```
formtomat(a, xvar)
```

Arguments

a	Character string defining regression formula.
xvar	Character vector with variable names.

Details

Internal function to `mlsolve`.

Value

List of transformations.

Author(s)

Lester L. Yuan

<code>get.dupe.sel</code>	<i>Get duplicate selection</i>
---------------------------	--------------------------------

Description

Prompt user to select correct version from duplicated entries

Usage

```
get.dupe.sel(sumstr)
```

Arguments

sumstr	Character vector summarizing duplicated taxon names
--------	---

Details

Prompts the user via a tcltk window to select appropriate name from duplicate taxon names.

Value

Returns integer indicating which names are selected.

Author(s)

Lester L. Yuan

get.otu

Defines operational taxonomic units (OTUs)

Description

get.otu generates OTUs for benthic count data using a simple algorithm that is designed to maximize the amount of taxonomic information retained across the entire data set, while eliminating redundant taxonomic identifications.

Usage

```
get.otu(bcnt, optlist = NULL, ndc = TRUE, outputFile = "sum.otu.txt",
gui = FALSE)
```

Arguments

bcnt	benthic count data frame that includes the full taxonomic hierarchy for each taxon. Typically, bcnt is the output from get.taxonomic .
optlist	vector of taxon names for which trait or tolerance value is available. Specify optlist = NULL for cases in which OTU are computed without regard for any additional taxon specific information, e.g. for developing a RIVPACS model.
ndc	Logical flag indicating whether OTU should be computed that eliminate double-counting of taxa.
outputFile	File name for summary output file.
gui	Logical indicating whether to use gui interface.

Details

get.otu makes decisions out OTU according to the following rule. The number samples in which a given taxonomic group (e.g. Baetidae) is observed, is compared to the number of samples in which members of the that same group are identified to a higher taxonomic level (e.g., Baetis, Fallceon, Acentrella, etc.). If more samples are observed with the coarser identification, then all identifications are downgraded to the coarse identification. If more samples are observed at the finer level of identification, then those sample are retained, and all identifications at the coarser level are omitted. Before deciding on OTU assignments, the script first reviews the species names that are listed in the benthic count file and matches them with the species names provided in optlist.

Value

Final OTU decisions are returned as tab-delimited text file, `sum.otu.txt`, which is best viewed using a spreadsheet. A new benthic count file is also returned in R, including the original benthic count information and a new field specifying the OTU designation for each taxon. Manual revisions to the assigned OTUs can be recorded in `sum.otu.txt` and loaded with [load.revised.otu](#)

Author(s)

Lester L. Yuan

See Also

[get.taxonomic](#)

Examples

```
data(bcnt.tax.0R)
data(coef.west.wt)
bcnt.otu.0R <- get.otu(bcnt.tax.0R, coef.west.wt)
```

<code>get.taxon.names</code>	<i>Get taxon names from benthic count file</i>
------------------------------	--

Description

Get taxon names from benthic count file

Usage

```
get.taxon.names(bcnt)
```

Arguments

`bcnt` Benthic count file with taxon names in second column

Details

Checks to see if second column is factor or character.

Value

Returns character vector of taxon names.

Author(s)

Lester L. Yuan

get.taxonomic	<i>Merge benthic count data with the ITIS taxonomy table</i>
---------------	--

Description

get.taxonomic merges the taxon names provided in a benthic count data file with a standardized taxonomy table. The purpose of this function is to provide the complete taxonomic hierarchy for each taxon.

Usage

```
get.taxonomic(bcnt)
```

Arguments

bcnt	A benthic count data frame with the following three fields: a sample identifier, taxon name, and abundance. The three fields must be ordered as listed. Sample identifier is typically a character string that is a unique identifier for a given sample. Taxon name is a character string that specifies the name of the taxon observed in the sample, and abundance is the number of individuals of that taxon that were observed.
------	--

Details

get.taxonomic attempts to match taxon names provided in a benthic count data file with taxa listed in ITIS. The script automatically corrects for the most common conventions in taxonomic naming. For example, taxon names are converted to all capital letters, and trailing strings such as "SP." and "SPP." are deleted.

The script lists taxa remaining that are not matched to entries in the ITIS database using [fix](#). The user can then enter a corrected spelling for the taxon name.

The script provides a final summary of the unmatched taxon names, and the user can continue revising names, or complete the program.

Value

A final taxonomic table is returned as tab-delimited text in the file `sum.tax.table.txt`. This file is best viewed using a spreadsheet. Within R, the script returns a benthic count file with the original taxon name associated with a full taxonomic hierarchy for that taxon. The assigned species names can be modified by hand in `sum.tax.table.txt` and the revised information loaded with [load.revised.species](#).

Author(s)

Lester L. Yuan

See Also

[itis.ttable](#)

Examples

```
data(bcnt.OR)
data(itis.ttable)
## Not run:
bcnt.tax.OR <- get.taxonomic(bcnt.OR)

## End(Not run)
```

get.valid.names	<i>Get taxon names from benthic count file</i>
-----------------	--

Description

Identifies valid names from parsed name matrix.

Usage

```
get.valid.names(df.parse, get.tax.env)
```

Arguments

df.parse	Parsed name matrix
get.tax.env	Environment for ITIS taxon table

Details

Searches for taxon names in ITIS and splits name matrix into list with first element being the matrix of valid names and the second element being the matrix of invalid names.

Value

List of two taxon name matrices.

Author(s)

Lester L. Yuan

in.ITIS	<i>Check to see if taxon name is in ITIS</i>
---------	--

Description

Checks to see if taxon names are listed in the ITIS taxon table.

Usage

```
in.ITIS(df.parse, get.tax.env, col.sel = NULL)
```

Arguments

df.parse	Character vector or matrix character vectors of names that need to be checked for presence in ITIS
get.tax.env	Environment variable where the full ITIS taxon table is available
col.sel	Integer allowing selection of a particular column of the matrix of names to check.

Value

Returns a list in which each element of the list is a successive character string from the parsed names.

Author(s)

Lester L. Yuan

incorp.correct	<i>Incorporate taxon name revisions</i>
----------------	---

Description

Incorporates corrected taxon names into parse.list

Usage

```
incorp.correct(tname.new, parse.list)
```

Arguments

tname.new	Character vector of corrected taxon names
parse.list	List of parsed taxon names

Value

Revised parse.list.

Author(s)

Lester L. Yuan

infergui

Graphical User Interface for biological inferences

Description

Provides a graphical user interface that allows users to compute biological inferences using existing taxon-environment relationships.

Usage

infergui()

Value

None. Used for its side effects.

Author(s)

Lester L. Yuan

itis.ttable

ITIS taxonomic hierarchy table

Description

Full taxonomic hierarchy to genus for the Kingdom Animalia. Retrieved November 21, 2008 from the Integrated Taxonomic Information System on-line database, <http://www.itis.gov>.

Usage

data(itis.ttable)

Source

Integrated Taxonomic Information System, U.S. Department of Agriculture.

Examples

data(itis.ttable)

load.itis	<i>Load ITIS taxon table</i>
-----------	------------------------------

Description

Load ITIS taxon table to the specified environment.

Usage

```
load.itis(get.tax.env)
```

Arguments

get.tax.env Environment variable.

Details

Loads full ITIS taxonomic table into specified environment.

Value

None. Used for side effects.

Author(s)

Lester L. Yuan

load.revised.otu	<i>Loads a user-revised OTU table</i>
------------------	---------------------------------------

Description

If manual correction of the OTU selections is desired, these corrections should be made on the "sum.otu.txt" file provided by [get.otu](#). The corrections should be saved as tab-delimited text, and then load.revised.otu run.

Usage

```
load.revised.otu(bcmt.otu, otufname = "sum.otu.txt")
```

Arguments

bcmt.otu Original benthic count file with OTU designations. Output from [get.otu](#)
otufname File name of revised OTU assignments.

Details

The benthic count data frame is assumed to be the original output from [get.otu](#), and therefore has a field called TNAME.

Value

The script returns a new benthic count file that incorporates the corrections to the OTU table.

Author(s)

Lester L. Yuan

See Also

[get.otu](#)

load.revised.species *Loads a user-revised list of species names*

Description

If manual correction of the species names assigned by `get.taxonomic` is desired, these corrections should be made on the `sum.tax.table.txt` file. The corrections should be saved as tab-delimited text, and then `load.revised.species` run.

Usage

```
load.revised.species(bcnt.tax, fname)
```

Arguments

bcnt.tax	benthic count data frame that includes the full taxonomic hierarchy for each taxon.
fname	Character string containing file name for the revised, tab-delimited, file in the format of <code>sum.tax.table.txt</code> . See get.taxonomic .

Details

The script prompts the user to enter the name of the text file containing the revised species names. The original "SPECIES" column in `bcnt.tax` is deleted and the new, revised version is merged into `bcnt.tax`.

Value

The script returns a new benthic count file that incorporates the corrections to the species names

Author(s)

Lester L. Yuan

See Also

[get.taxonomic](#)

locate.dupes

Locate duplicated taxon names

Description

Locate taxon names that match multiple records in ITIS.

Usage

```
locate.dupes(fulltab)
```

Arguments

fulltab Full taxonomic table for matched taxon names

Details

Finds duplicate names in fulltab

Value

Returns string that summarizes duplicates and their row numbers.

Author(s)

Lester L. Yuan

make.fulltab1	<i>Make full taxonomic table</i>
---------------	----------------------------------

Description

Merge full ITIS taxonomy with names in benthic count file

Usage

```
make.fulltab1(df.parse, get.tax.env)
```

Arguments

df.parse	Matrix with valid taxon names in the second column
get.tax.env	Environment variable where the full ITIS taxon table is available

Details

Initial merge of taxon names with full ITIS table.

Value

Returns the current list of valid taxon names merged with the full taxonomic hierarchy.

Author(s)

Lester L. Yuan

make.species	<i>Generate species names</i>
--------------	-------------------------------

Description

Generate species names from possibilities in the parsed taxa name table.

Usage

```
make.species(df.parse, fulltab)
```

Arguments

df.parse	Matrix with valid taxon names in the second column
fulltab	Full taxonomic table for matched taxon names

Details

Generates likely species names from matched taxon names that are identified as Genus level names.

Value

Returns full taxonomic table with SPECIES field appended.

Author(s)

Lester L. Yuan

makess	<i>Make a site-OTU matrix</i>
--------	-------------------------------

Description

makess generates a site-OTU matrix based on a benthic count file. The script assumes that the benthic count file has a field entitled 'OTU' on which the matrix is based.

Usage

```
makess(bcnt, tname = "OTU", plothist=FALSE, prints = FALSE, nview = 0)
```

Arguments

bcnt	a benthic count file that results from running get.otu or load.revised.otu .
tname	Character string specifying the field in bcnt in which the name of the taxon is stored.
plothist	Set to TRUE to plot a histogram of the proportion of abundance at each site that is included in the OTU designations
prints	Set to TRUE to view statistics on the proportion of abundance at each site that is included in the OTU designations
nview	Selects the number of sites to view in which the proportion of abundance included is low

Value

A site-OTU matrix.

Author(s)

Lester L. Yuan

See Also

[get.otu](#), [load.revised.otu](#)

Examples

```
data(bcnt.otu.OR)
ss.OR <- makess(bcnt.otu.OR)
```

mlsolve	<i>Maximum likelihood inferences</i>
---------	--------------------------------------

Description

mlsolve uses maximum likelihood estimation to infer environmental conditions from biological observations.

Usage

```
mlsolve(ss, coef0, site.sel = "all", bruteforce = FALSE)
```

Arguments

ss	A site-species matrix, with sample identifiers in the first column, and abundances. Typically, the result of makess .
site.sel	Character vector of sample id's at which inferences should be computed. Default selection of 'all' forces script to compute inferences for all samples in the matrix.
coef0	Coefficient file with model specifications and regression coefficients defining taxon-environment relationships. See taxon.env for more details.
bruteforce	Logical flag. Select TRUE to compute solution by brute force rather than by conjugate gradients. Provides a means of examining likelihood contours when needed.

Details

mlsolve uses maximum likelihood estimation to infer environmental conditions from biological observations. Maximum likelihood estimation in this context is a constrained optimization problem, in which we wish find the point at which the likelihood function is maximized, constrained by the range of the environmental variables in the calibration data. mlsolve formulates the likelihood function and calls [optim](#) to solve the optimization problem.

The option bruteforce can be used to check the performance of the iterative solver. When bruteforce is set to be TRUE, the script also computes likelihood values for a uniformly-spaced grid that spans the ranges of the environmental variables. This is a time-consuming calculation, and therefore should only be attempted on a few samples. Once the grid is computed, though, contours of the likelihood surface are plotted.

mlsolve requires that the taxa included in ss each have associated taxon-environment information in coef0. The best way to ensure that this condition is satisfied is to make sure that [get.otu](#) is run with the same coef0 as used in mlsolve, and that the results from get.otu are used to generate ss (see [makess](#)).

Value

The script returns a dataframe containing inferences for each sample as well as a logical flag indicating whether solutions computing with four different starting locations are consistent with one another.

Author(s)

Lester L. Yuan

Examples

```
data(coef.west.wt)
data(ss.OR)
inf.out <- mlsolve(ss.OR, coef.west.wt)
```

modalDialog

Modal dialog box using TclTK

Description

modalDialog generates a dialog box prompting the user to enter a list of text before the process continues. Based on scripts provided in <http://bioinf.wehi.edu.au/~wettenhall/RTclTkExamples/>

Usage

```
modalDialog(title,itemlist,entryInit,entryWidth=20,
            returnValOnCancel="ID_CANCEL")
```

Arguments

title	Title for the dialog box
itemlist	Character vector of names that the user must correct
entryInit	Default string to fill in the entries
entryWidth	Width of entry string
returnValOnCancel	Value for script to return if canceled

Value

Character vector of user entries.

Author(s)

Lester L. Yuan

output.tax.table	<i>Output final taxonomic table</i>
------------------	-------------------------------------

Description

Output final taxonomic table as tab-delimited text

Usage

```
output.tax.table(finaltab, tlevs)
```

Arguments

finaltab	Merged taxonomic table
tlevs	Character vector of taxonomic levels in ITIS

Details

Outputs final table to file.

Value

None. Used for side effects.

Author(s)

Lester L. Yuan

parse.taxon.name	<i>Parse taxon name</i>
------------------	-------------------------

Description

Parses taxon names from benthic count file to facilitate matching with ITIS.

Usage

```
parse.taxon.name(tname.orig)
```

Arguments

tname.orig	Character vector of taxon names
------------	---------------------------------

Details

Parses compound names typically found in benthic count files into a list of strings for each name.

Value

Returns a matrix in which each row corresponds with a different element of the provided character vector, and each column corresponds to distinct strings in each element.

Author(s)

Lester L. Yuan

remove.dupes

Remove unselected duplicates from taxon table

Description

Remove unselected duplicate taxon names from taxon table.

Usage

```
remove.dupes(fulltab, dupe.list, dupe.sel)
```

Arguments

fulltab	Full taxon table for matched taxon names.
dupe.list	List of duplicated entries.
dupe.sel	Character vector of taxa selected by user.

Details

Deletes rows from fulltab that are not selected by user

Value

Returns revised fulltab.

Author(s)

Lester L. Yuan

resolve.mult	<i>Resolve cases in which two taxa are found in ITIS</i>
--------------	--

Description

Resolves cases in which two taxa listed on the same entry are both found in ITIS.

Usage

```
resolve.mult(parse.list, get.tax.env)
```

Arguments

parse.list	List of taxa that are found in ITIS (position 1) and taxa that are still unresolved (position 2).
get.tax.env	Environment variable where the full ITIS taxon table is available

Details

The most likely reason for two valid taxa being listed in the same entry is that the taxonomist could only identify a specimen down to two possibilities. In these cases, the script downgrades the identification to a coarser level that is the same for both taxa.

Value

Updates parse.list so that resolved multiple listings are included in position 1.

Author(s)

Lester L. Yuan

sel.coefffile	<i>Select coefficient file</i>
---------------	--------------------------------

Description

Prompt user to select coefficient file from those available in data directory

Usage

```
sel.coefffile(fstring = "coef")
```

Arguments

fstring	Character string for filtering files in data directory
---------	--

Details

Provides the list of data files available to the user.

Value

Selected file name.

Author(s)

Lester L. Yuan

ss.0R	<i>site-OTU matrix for western Oregon</i>
-------	---

Description

Matrix with each row representing a distinct sample and each column representing a different OTU for western Oregon benthic count data.

Usage

```
data(ss.0R)
```

Source

Oregon Department of Environmental Quality

Examples

```
data(ss.0R)
```

taxon.env	<i>Estimate taxon-environment relationships</i>
-----------	---

Description

taxon.env estimates taxon-environment relationships using logistic regression.

Usage

```
taxon.env(form, bcnt, envdata, bcnt.siteid, bcnt.abndid,  
env.siteid,tlevs = "all", dumpdata = FALSE)
```

Arguments

form	Regression formula for model. Format is identical to that used for <code>glm</code> .
bcnt	A benthic count file with a full taxonomic hierarchy that results from running get.taxonomic .
envdata	Environmental data file
bcnt.siteid	Field name for bcnt unique site identifier.
bcnt.abndid	Field name for bcnt taxon abundance.
env.siteid	Field name for envdata unique site identifier.
tlevs	Taxonomic levels to compute taxon-environment relationships.
dumpdata	Logical field specifying whether data used to estimate taxon-environment relationships should be included in the output.

Details

This script generates logistic regression models for taxa at various levels of taxonomic resolution (as specified by the user). The script computes the degrees of freedom specified by the model (`df`) and selects taxa that occur in at least 10 times `df` and is absent from at least 10 times `df` sites. Then, logistic regression models based on the formula specified by the user are computed for each taxon using `glm`. The user can select the taxonomic levels (e.g., CLASS, ORDER, SPECIES, etc.) at which taxon-environment relationships are computed using the parameter `tlevs`. The default value for `tlevs` computes relationships at all levels.

Value

Regression coefficient file that can be used with `mlsolve` to infer environmental conditions.

tnames	Taxon names for which models are calculated
csave	Matrix of regression coefficients
xvar	Character vector with names of explanatory variables
xlims	Range of each explanatory variable
form	Model formula
roc	Area under receiver operator curve for model for each taxon.
raw.data	Data used to estimate relationships. Only included if <code>dumpdata = T</code> .

Author(s)

Lester L. Yuan

See Also

[get.taxonomic](#)

Examples

```
data(envdata.OR)
data(bcnt.tax.OR)
coef <- taxon.env(~sed + sed^2, bcnt.tax.OR, envdata.OR, "SVN",
"CountValue", "STRM.ID")
```

tklist.modal

Modal select list dialog using TclTk

Description

tklist.modal generates a dialog box that prompts the user to select from a list of options. This script uses TclTk tools that should be operable on different operating systems.

Usage

```
tklist.modal(title, elements0, returnValOnCancel="ID_CANCEL",selectmode =
"single")
```

Arguments

title	Title for the list box.
elements0	Character vector of elements listing different choices
returnValOnCancel	Character string returned by the script if the dialog box is canceled
selectmode	Set to multiple to allow for multiple selections.

Value

A TclTk dialog box.

Author(s)

Lester L. Yuan

Examples

```
## Not run:
tklist.modal("Select a color", c("red", "green", "blue"))

## End(Not run)
```

trait.feeding	<i>Feeding traits for benthic invertebrates</i>
---------------	---

Description

Feeding classifications for different benthic invertebrates.

Usage

```
data(trait.feeding)
```

Format

A data frame with two columns.

TAXON Character vector with the names of each taxon.

TRAITVAL Value of trait classification

Details

These trait classifications were summarized from the USGS data set prepared by Viera et al. <http://pubs.usgs.gov/ds/ds187/>.

Source

Yuan, L.L.

Examples

```
data(trait.feeding)
```

trait.habit	<i>Habit traits for benthic invertebrates</i>
-------------	---

Description

Habit classifications for different benthic invertebrates.

Usage

```
data(trait.habit)
```

Format

A data frame with two columns.

TAXON Character vector with the names of each taxon.

TRAITVAL Value of trait classification

Details

These trait classifications were summarized from the USGS data set prepared by Viera et al. <http://pubs.usgs.gov/ds/ds187/>.

Source

Yuan, L.L.

Examples

```
data(trait.habit)
```

trait.stat	<i>Compute trait metrics</i>
------------	------------------------------

Description

Compute trait metrics from benthic count data.

Usage

```
trait.stat(bcnt.otu, coefs)
```

Arguments

bcnt.otu	Benthic count file with OTU defined consistently with selected trait file
coefs	Trait file

Details

OTUs appropriate for the selected trait file must first be assigned using `get.otu`. A list of trait files provided in the library can be obtained using `sel.coefffile`. Script will compute richness, relative richness, and relative abundance of each trait group. Note that many taxa in a benthic count file are often not assigned to traits, and so relative richness and relative abundance values within a given sample may not sum to 1.

Value

Data frame of trait metrics.

Author(s)

Lester L. Yuan

`view.te`*View taxon-environment relationships*

Description

Viewer for taxon-environment relationships.

Usage

```
view.te(coef, plotform = "pdf")
```

Arguments

<code>coef</code>	Taxon-environment coefficient file (e.g. <code>coef.west.wt</code>)
<code>plotform</code>	Specify output plot format. Options include pdf and windows.

Details

Generates contour plots that show taxon-environment relationships represented by taxon-environment coefficients. Models with a single explanatory variable are displayed as line plots, and models with two explanatory variables are displayed as contour plots. Plots are returned to the file `taxon.env.pdf` if `plotform = "pdf"`.

Value

None. Used for side effects.

Author(s)

Lester L. Yuan

Examples

```
## Not run:  
data(coef.west.wt)  
view.te(coef.west.wt)  
## End(Not run)
```

Index

*Topic **datasets**

- bcnt.emapw, 3
- bcnt.OR, 4
- bcnt.otu.OR, 4
- bcnt.tax.OR, 5
- coef.east.sed, 6
- coef.west.wt, 6
- envdata.emapw, 8
- envdata.OR, 9
- itis.ttable, 17
- ss.OR, 28
- trait.feeding, 31
- trait.habit, 31

*Topic **models**

- bio.infer-package, 2
- correct.taxanames, 7
- flist.data, 10
- flist.match, 10
- formtomat, 11
- get.dupe.sel, 11
- get.otu, 12
- get.taxon.names, 13
- get.taxonomic, 14
- get.valid.names, 15
- in.ITIS, 16
- incorp.correct, 16
- infergui, 17
- load.itis, 18
- load.revised.otu, 18
- load.revised.species, 19
- locate.dupes, 20
- make.fulltab1, 21
- make.species, 21
- makess, 22
- mlsolve, 23
- modalDialog, 24
- output.tax.table, 25
- parse.taxon.name, 25
- remove.dupes, 26

- resolve.mult, 27
- sel.coefffile, 27
- taxon.env, 28
- tklist.modal, 30
- trait.stat, 32
- view.te, 33

- bcnt.emapw, 3
- bcnt.OR, 3, 4, 5
- bcnt.otu.OR, 4
- bcnt.tax.OR, 5
- bio.infer (bio.infer-package), 2
- bio.infer-package, 2

- coef.east.sed, 6
- coef.west.wt, 3, 6, 33
- correct.taxanames, 7

- envdata.emapw, 8
- envdata.OR, 9

- fix, 14
- flist.data, 10
- flist.match, 10
- formtomat, 11

- get.dupe.sel, 11
- get.otu, 3, 4, 12, 18, 19, 22, 23, 32
- get.taxon.names, 13
- get.taxonomic, 3, 5, 12, 13, 14, 19, 20, 29
- get.valid.names, 15
- glm, 29

- in.ITIS, 16
- incorp.correct, 16
- infergui, 17
- itis.ttable, 14, 17

- load.itis, 18
- load.revised.otu, 13, 18, 22
- load.revised.species, 14, 19

locate.dupes, [20](#)

make.fulltab1, [21](#)
make.species, [21](#)
makess, [3](#), [22](#), [23](#)
mlsolve, [3](#), [23](#)
modalDialog, [24](#)

optim, [23](#)
output.tax.table, [25](#)

parse.taxon.name, [25](#)

remove.dupes, [26](#)
resolve.mult, [27](#)

sel.coefffile, [27](#), [32](#)
ss.OR, [28](#)

taxon.env, [23](#), [28](#)
tklist.modal, [30](#)
trait.feeding, [31](#)
trait.habit, [31](#)
trait.stat, [32](#)

view.te, [33](#)